INDEX TO VOLUME 48

Acarina. Acaridae, 212; Epidermoptidae, 21; Tetranychidae, 453
Acmaeodera, 411
Akre, Roger D., W. B. Hill, J. F. MacDonald, and W. B. Garnett, Foraging distances of *Vespula pensylvanica* workers, 12; see also J. F. MacDonald
Alcock, John, Male mating strategies of some philanthine wasps, 532
Amblyomma americanum (abstr), 504
Amnestus **lenkoi**, 106; **pequinus**, 107
Anguicephala, 111; **mellana**, 112
annual meeting, Central States Entomological Society, notice of, 127
Apiomerus pictipes, attractiveness to stingless bees, 17
Apis mellifera spp., aggressiveness in, 381
Arachnida. Araeneida, 403
arthropods associated with bats, 524
Ashlock, Peter D., Toward a classification of North American Lygaeinae, 27
Atyeo, W. T., see A. Fain

Bacillus thuringiensis, 189
Bailey, Jack C., Species evaluation of the *Heliothis* found near Stoneville, Mississippi, 1969–71, 283; Three-cornered alfalfa hoppers: Effect of four population levels on soybeans, 519
ballooning and temperature, 403
Barr, William F., Taxonomic notes and new synonymies of some North American *Acmaeodera*, 411
Batra, S. W. T., Termites eat and manipulate symbiotic fungi, 89
Bertwell, R. L., and H. D. Blocker, Curculionidae from different grassland treatments near Manhattan, Kansas, 319
Beige, C. R., and G. J. Partida, Taxonomic characters used for the identification of three species of *Cryptolestes* (abstr), 503
Blocker, H. Derrick, The genus *Grunchia*, 327; also see R. L. Bertwell
Bombylius **mohavensis**, 472
Breed, Michael D., Life cycle and behavior of a primatively social bee, *Lasioglossum rohweri*, 64
Buenoa, key to nymphs, 512; *confusa*, habitat and immature stages of, 507; *margaritacea*, habitat and immature stages of, 507
Bugbee, Robert E., New species of the genus *Eurytoma* from galls on *Rubus* and *Chrysothamnus*, 580
Burke, Horace R., Wayne E. Clark, and Gordon W. Frankie, Observations on the bionomics of *Myrmex laevicollis*, 160

Caloglyphus **phyllophagianus**, 213
Camponotus pennsylvanicus (abstr), 501
Cariblatta plagia, egg capsule structure of, 169
Cassia fasciculata, intrafloral behavior of bees on flowers of, 175
Childers, Carl C., and Wilbur R. Enns, Predaceous arthropods associated with spider mites in Missouri apple orchards, 453
Chilicola, 352; *C.* (*Hylaeosoma*), 352; *C.* (*H.*) **mexicana**, 353
Chippendale, G. M., The physiological basis of the larval polymorphism of the southwestern corn borer (abstr), 502
Clark, Wayne E., see Horace R. Burke
Clarke, Eric T., see Elizabeth C. Weaver
Clypeadon taurulus, male mating strategies in, 532
Coelidiana **plaga**, 124
Coleoptera, 224. Bostrichidae, 100; Buprestidae, 411; Chrysomelidae, 291; Cryptophagidae, 53; Curculionidae, 100, 160, 319; Dryopoidea, 388; Hydrophilidae, 18, 81; Meloidae, 429; Scarabaeidae, 212; Staphylinidae, 96; Tenebrionidae, 585
Comstock, John Henry, 223
Copidosoma truncatellum, 358
Craspeduchus, 27
Cryptolestes spp. (abstr), 503; *C. pusillus*, as part of stored-product insect populations, 224
Cuda, J. P., see J. E. McPherson

Dallasiellus **leurus**, 109
Dasymutilla asopus bexar, 199
DeLong, Dwight M., A new genus, *Freytagana*, and species of Mexican Gyponinae, 409; and Paul H. Freytag, Studies of the Gyponinae: Fourteen new species of Central and South America *Gypona*, 308; Studies of the

Gyponinae: A new genus, *Hecalapona*, and thirty-eight new species, 547; A new genus *Regalana* and species of Gyponinae, 121; Two new genera, *Proxima* and *Angucephala*, and two new species of Gyponinae, 110

DeLong, Dwight M., and Alice B. Kolbe, A new genus of *Lorellana* and two new species of deltocephaline leafhoppers, 9; Studies of the Gyponinae: Six new species of South American *Gypona*, 201; Three new species of Neocoelidiinae from Panama and Peru, 124

Dethier, V. G., The monarch revisited, 129

Diabrotica virgifera, dispersal of, 291

Diatraea grandiosella (abstr), 502, 505

Dillier, J., see George P. Markin

Diptera. Bombyliidae, 472; Ephydridae, 232, 297; Muscidae, 53; Phoridae, 53; Tabanidae, 7; Tephritidae, 42

Edmonds, W. Thomas, Rate of forgetting as measured by counterturning in the carpenter ant *Camponotus pennsylvanicus* (abstr), 501

Enns, Wilbur R., see Carl C. Childers

entomology congress, XVth international, announcement, 127

entomology, stored-product, international conference on, 193

Epicauta, key to males, 432, *bispinosa*, 435, *cazieri*, 441, *punctipennis*, 437

Erythroneura (*Eratoneura*) **brucensis**, 6, **doeringae**, 7, **sorota**, 5, **vulgaris**, 4, **whitcombi**, 6

Estes, James R., see Robbin W. Thorp

Eucerceris arenaria, male mating strategies in, 532

Euglossa, thoracic temperatures while foraging, 366

Eurytoma **brevitergis**, 580, **chrysothamni**, 582

Evenhuis, Neal L., A new species of *Bombylius* from the Mohave Desert of California, 472

Fain, A., and W. T. Atyeo, *Pleicanoptes onocrotali*, n.g., n. sp., an epidermoptid mite from *Pelecanus onocrotalus*, 21

Feese, Harlan D., Leaf removal to simulate mite damage as an aid in determining economic thresholds (abstr), 503; and Gerald Wilde, Planting time applications of systemic insecticides on grain sorghum for greenbug control: Interactions with herbicides and effect on predators, 396

Finni, Gary R., and Barbara A. Skinner, The Elmidae and Dryopoidea of Indiana, 388

Foote, B. A., see John A. Novak

Formicidae. Dorylinae, 92

Franklin, Robert, Swimming coordination in *Melanoplus differentialis* (abstr), 502

Freytag, Paul H., see Dwight M. DeLong

Frankie, Gordon W., see Horace R. Burke

Freytagana, 409, **gibsoni**, 409

Froeschner, Richard C., Three new species of burrowing bugs found in association with ants in Brazil, 105

Garnett, W. B., see Roger D. Akre

Geomydoecus expansus, 34, **martini**, 38

Gittelman, Steven H., and Peter W. Severance, The habitat preference and immature stages of *Buenoa confusa* and *B. margaritacea*, 507

Granovsky, Theodore A., Research on wheat insects in Paraguay and extension of results (abstr), 500

Grissell, E. E., Ethology and larva of *Pterocheilus texanus*, 244

Grunchia, key to species, 327, **dolosa**, 328, *grossa*, 328, **krameri**, 328

Gunier, Wilber J., see D. B. Palmer, Jr.

Gypona (*Gypona*) **axena**, 309, **berela**, 308, **nigrena**, 309, **tascoi**, 311; *G.* (*Marganalana*) **antlerita**, 203, **aliqua**, 311, **aneta**, 314, **costana**, 317, **crocea**, 314, **denera**, 201, **diverta**, 201, **evadera**, 316, **nasua**, 315, **nexa**, 314, **odora**, 313, **rustica**, 316, **sagitta**, 203, **sarisa**, 313, **summita**, 203, **tela**, 205

habitats of shore flies, 232

Hawkins, W. A., Nesting biology of *Osmia* (*Chalcosmia*) *georgica*, 493

Hecalapona, 547, key to subgenera, 547, (**Hecalapona**), 548, key to species, 548, **angera**, 552, **anteriora**, 560, **berna**, 549, **bexa**, 560, **bimacula**, 561, **brevisens**, 554, **cena**, 558, **dumosa**, 555, **leucida**, 558, **helata**, 552, **hetela**, 556, **pensa**, 549, **punctula**, 560, **quadrella**, 554, **rostella**, 554, **severa**, 556; *H.* (**Nulopona**), 562, key to species, 562,

crinata, 564, **cuana**, 562, **inflamma**, 562, **quina**, 564, **scella**, 565; *H.* (**Carapona**), 565, key to species, 565, **aspira**, 574, **assula**, 574, **cedra**, 567, **decora**, 570, **estabana**, 576, **eruva**, 572, **eximia**, 576, **ferosa**, 575, **fugara**, 567, **huella**, 570, **ilicea**, 568, **lutea**, 567, **munia**, 578, **supina**, 575, **titula**, 576, **verda**, 568, **vittulata**, 579, **vulta**, 572

Heliothis, 362; *H. virescens*, 283, *zea*, 283

Hellenthal, Ronald A., see Roger D. Price

Hemiptera. Aphididae, 396; Corixidae, 1; Cydnidae, 105; Lygaeidae, 27; Notonectidae, 507; Reduviidae, 17, 185

Hepner, Leon W., new species of *Erythroneura*, 4

Heterocampa manteo, formic acid secretion of, 280

Hill, W. B., see Roger D. Akre; also see J. F. MacDonald

Homoptera. Cicadellidae, 4, 9, 110, 121, 124, 201, 308, 327, 409, 547; Membracidae, 519

Hostetter, D. L., C. M. Ignoffo, and W. H. Kearby, Persistence of formulations of *Bacillus thuringiensis* spores and crystals on eastern red cedar foliage in Missouri, 189

Hybomitra captonis, 7

Hymenoptera. Apidae, 17, 175, 366, 381; Anthophoridae, 175, 194; Apoidea, 257; Colletidae, 351; Encyrtidae, 358; Eumenidae, 244; Eurytomidae, 580; Formicidae, 83, 141, 152; Halictidae, 64, 175, 374; Ichneumonidae, 53; Megachilidae, 194, 493; Mutillidae, 194; Siricoidea, 299; Sphecidae, 532; Vespidae, 12, 53, 114, 285

Ignoffo, C. M., see D. L. Hostetter; also see M. Shapiro

Inouye, David W., Flight temperatures of male euglossine bees, 366

insecticides, 189

Isoptera, 89

Jansson, Antti, Comparison of *Sigara saileri* and *S. johnstoni*, 1

Jay, Edward G., see H. H. Vardell

Jeanne, Robert L., Nest site selection by *Metapolybia* in Costa Rica, 285

Kearby, William H., Variable oakleaf caterpillar larvae secrete formic acid that causes skin lesions, 280; and B. Taylor, Larval and pupal parasites reared from tip moths of the genus *Rhyacionia* in Missouri, 206; see also D. L. Hostetter, M. P. Roling

Keaster, A. J., see D. B. Zepp

Kirkpatrick, Robert L., Infrared radiation for control of lesser grain borers and rice weevils in bulk wheat, 100

Kolbe, Alice B., see Dwight M. DeLong

Kumar, Surendra, Relations among bee size, cell size, and caste in *Lasioglossum zephyrum*, 374

Lasioglossum rohweri, life cycle and behavior of, 64; *L. zephyrum*, 374

Lawson, Fred A., Structural features of cockroach egg capsules. VII. The ootheca of *Cariblatta plagia*, 169

LeCato, G. Leonard, Species composition influencing insect population growth and weight loss of stored rice, wheat, and corn, 224

Lepidoptera, 129. Lasiocampidae, 521; Noctuidae, 283, 358, 362; Notodontidae, 280; Olethreutidae, 206

Lorellana, 9, **flagalara**, 11, **tropicana**, 9

Lygaeinae, key to American genera north of Mexico, 31

MacDonald, J. F., R. D. Akre, and W. B. Hill, Locations and structure of nests of *Vespula atropilosa* and *V. acadica*, 114; Nest associates of *Vespula atropilosa* and *V. pensylvanica* in southeastern Washington State, 53; see also Roger D. Akre

Malacosoma americana, egg mortality in, 521

Mallophaga. Trichodectidae, 33

Markin, George P., J. O'Neal, and J. Dillier, Foraging tunnels of the red imported fire ant, *Solenopsis invicta*, 83; see also Jerry O'Neal

Mayo, Z. B., see Christian Y. Oseto

McPherson, J. E., and J. P. Cuda, The first record in Illinois of *Prionosoma podopioides*, 371

Mecoptera, 331

Melanopleurus pyrrhopterus, 30

Melanoplus differentialis (abstr), 502

Melanotus spp. (abstr), 503

Melitoma taurea, nests of, 194

Metapolybia sp. A, 285

Metcalfe, Alan M., see Adair Stoner

Michener, Charles D., Nests of *Par-*

anthidium jugatorium in association with *Melitoma taurea*, 194; see also Haroldo Toro
Mills, Robert B., and Gregory J. Partida, Attachment mechanisms of *Trogoderma* hastisetae that make possible their defensive function (abstr), 502
Moore, Ian, The distribution of *Siagonium* in North America, 96
Myrmex laevicollis, development of, 160

Needham, Glen R., and John R. Sauer, In vitro studies on fluid secretion and its control in salivary of the lone star tick (abstr), 504
Neivamyrmex **cornutus**, 92
Neocoelidiana **chlorata**, 126
Novak, John A., and B. A. Foote, Biology and immature stages of fruit flies: The genus *Stenopa*, 42

Ochrimnus, 29
Ochrostomus, 27
Odontotermes obesus, biology of, 89
O'Neal, Jerry, and George P. Markin, Brood development of the various castes of the imported fire ant, *Solenopsis invicta*, 152; The larval instars of the imported fire ant, *Solenopsis invicta*, 141; see also George P. Markin
Orthoptera. Blattidae, 169
Orussus occidentalis, oviposition behavior and host selection in, 299
Oryzaephilus surinamensis, as part of stored-product insect populations, 224
Oseto, Christian Y., and Z. B. Mayo, A new species of *Caloglyphus* associated with *Phyllophaga anxia*, 212
Osmia (*Chalcosmia*) *georgica*, nesting biology of, 493

Pachypsylla celtidismamma, estimating population of, 427
Palmer, D. B., Jr., and Wilber J. Gunier, A preliminary survey of arthropods associated with bats and bat caves in Missouri and two counties of Oklahoma, 524
Paracymus orientalis, lectotype, 19, redescription, 20; *P.* **securus**, 81
Paranthidium jugatorium, in nests of *Melitoma taurea*, 194
Partida, G. J., see C. R. Biege; see also Robert B. Mills
Pelicanoptes 25, **onocrotali**, 26
Penny, Norman D., Evolution of the extant Mecoptera, 331
Perdita nuda, biology and parasite of, 257
Philip, Cornelius B., Note on *Tabanus comastes*, 7
Phyllophaga anxia, mite on, 212
Pinto, John D., The taxonomy of three species of maculate *Epicauta*, with descriptions of courtship behavior and first instar larvae, 429
Powell, J. A., and W. J. Turner, Observations on oviposition behavior and host selection in *Orussus occidentalis*, 299
predaceous insects as plant feeders, 185
Price, Roger D., and Ronald A. Hellenthal, A reconsideration of *Geomydoecus expansus* from the yellow-faced pocket gopher, 33
Prionosoma podopioides, 371
Proxima, 111, **ocellata**, 111
Pselliopus barberi, immature stages and biology of, 477, *cinctus*, immature stages and biology of, 477
Pterocheilus texanus, 244

Regalana, 121, **corona**, 123
reviews, *Annual Review of Ecology and Systematics*, 231; Carpenter and LaCasse, *Mosquitos of North America*, 254; Collins, *The World of the Honeybee*, 492; *Entomology: Catalog of Instructional Materials*, 422; Spradbery, *Wasps: An Account of the Biology and Natural History of Social and Solitary Wasps*, 426; Varley, Gradwell, and Hassel, *Insect Population Ecology*, 255; Woytkowski, *Peru —My Promised Land*, 505
Rhyacionia, parasites of, 206
Rhyzopertha dominica, control of, 100; as part of stored-product insect populations, 224
Riley, Thomas J., and Armon J. Keaster, Six species of wireworms of the genus *Melanotus* associated with corn in Missouri (abstr), 503
Roe, Roy, see Leon Stacey
Roling, M. P., and W. H. Kearby, Scolytidae attracted to ethanol in an oak-hickory forest in Missouri (abstr), 504
Ruppel, Robert F., Dispersal of western corn rootworm, *Diabrotica virgifera*, in Michigan, 291
Sauer, John R., see Glen R. Needham

Scatella brunnipennis, 297
Scheiring, Joseph F., A lectotype designation for *Scatella brunnipennis*, 297; A multivariate analysis of similarity in shore fly habitats, 232
Schizaphis graminum, control of, 396
Severance, Peter W., see Steven H. Gittelman
Shapiro, M., and C. M. Ignoffo, Activity of solubilized inclusion bodies of *Baculovirus heliothis* and neutralization of activity by homologous antiserum, 362
Siagonium, distribution in North America, 96
Sigara johnstoni, 1, *saileri*, 1
Sitophilus oryzae, control of, 100, as part of stored-product insect populations, 224
Skinner, Barbara A., see Gary R. Finni
Solenopsis invicta, brood development in, 152, foraging tunnels of, 83, larval instars of, 141
Sphecophaga vesparum burra, in yellowjacket nests, 57
Spissistilus festinus, effect on soybeans, 519
Stacey, Leon, Roy Roe, and Kenneth Williams, Mortality of eggs and pharate larvae of the eastern tent caterpillar, *Malacosoma americana*, 521
Stenopa, key to Nearctic adults, 42, *vulnerata*, life history, 43
Stoner, Adair, Alan M. Metcalfe, and Richard E. Weeks, Plant feeding by Reduviidae, a predaceous family, 185
Stoner, Adair, and Richard E. Weeks, Effect of constant temperatures on magnitude of mixed broods, mortality, and sex ratios of *Copidosoma truncatellus*, a parasite of *Trichoplusia ni*, 358
Stort, Antonio Carlos, Genetical study of the aggressiveness of two subspecies of *Apis mellifera* in Brasil. V. Number of stings in the leather ball, 381
Swadener, S. O., and T. R. Yonke, Immature stages and biology of *Pselliopus cinctus* and *P. barberi*, 477

Tabanus comastes, 7
Taylor, B., see W. H. Kearby
Thorp, Robbin W., and James R. Estes, Intrafloral behavior of bees on flowers of *Cassia fasciculata*, 175
Torchio, Philip F., The biology of *Perdita nuda* and descriptions of its immature forms and those of its *Sphecodes* parasite, 257
Toro, Haroldo, and Charles D. Michener, The subfamily Xeromelissinae and its occurrence in Mexico, 351
Torrence, John D., Response of acridid grasshoppers to differential nitrogen treatments on tallgrass prairie (abstr), 504
Tribolium castaneum, as part of stored-product insect populations, 224, *confusum*, genetic abnormalities in, 585
Trichoplusia ni, 358
Trigona fulviventris, attracted to assassin bug, 17
Triphleba lugubris, in yellowjacket nests, 56
Trogoderma, hastisetae of (abstr), 502
Turner, W. J., see J. A. Powell

Vardell, H. H., and Edward G. Jay, Genetic abnormalities from field-collected *Tribolium confusum*, 585
Vespula acadica, nests of, 114, *atropilosa*, nests of, 114, nest associates of, 53, *pensylvanica*, foraging in, 12, nest associates of, 53

Watkins, Julian F., II, *Neivamyrmex cornutus*, n. sp., from Oaxaca, Mexico, 92
Weaver, Elizabeth C., Eric T. Clarke, and Nevin Weaver, Attractiveness of an assassin bug to stingless bees, 17
Weaver, Nevin, see Elizabeth C. Weaver
Weeks, Richard E., see Adair Stoner
Wilde, Gerald, see Harlan Feese
Williams, Kenneth, see Leon Stacey
Wooldridge, David P., A lectotype, redescription, and new status for *Paracymus evanescens orientalis*, 18; *Paracymus securus*, a new species from Baja California, 81

Xenocoelidia **spinella**, 124

Yeargan, Kenneth V., Factors influencing the aerial dispersal of spiders, 403
Yonke, T. R., see S. O. Swadener

Zepp, D. B., and A. J. Keaster, Southwestern corn borer girdling activity: Relationship to physiological stress of host plants (abstr), 505